



OPTIMUM ARMS

CATALOG





Optimum Arms offers brand new quality and reliable shotguns.

Optimum Arms, with its 40 years' experience in the sector with nationwide local market operations, has started exporting its durable, high quality, functional, affordable priced and widely-used products in local market to worldwide hunters combining long time experience with a new enthusiastic export team to take the company forward in this fast-paced modern world.

Our export team is ready to combine the age-old craft experience in the sector with modern thinking and use of modern technology, backed with the best engineer team of quality department, with the needs of the market by selecting the best partners and the latest materials in order to offer the most functional, reliable and durable products with the best customer service as well.

We kindly offer our shotguns with promise of excellence in quality, reliability, durability and the best customer service and the most competitive prices in the market.

Product Categories



Over & Under



Side By Side



Single Barrel



Lever Action



Semi Auto



Tactical



Pump Action



Spare Part

OVER & UNDER SHOTGUNS

Optimum Arms over & under shotguns are one of those pieces that's timeless classic.

Over & under shotguns are double-barreled, break action shotguns that have very few moving parts making them reliable especially in areas with bad weather conditions.

With the few moving parts, durability increases and with the proper care, it lasts longer rounds and the cleaning process is very simple.

Over & under shotguns feature a solid frame for durability, strength, and ultimate reliability.

Flawlessly presented rubber recoil pad, Turkish walnut checkering on OPT N 212 & OPT N 220, backed by a warranty.

 OPTIMUM ARMS

"Timeless classic"

 OPTIMUM ARMS



OPT N 212



OPT N 220



OPT N 236

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Trigger	Stock	Average Weight
OPT N 212			21.5" - 55cm.							7.7 lbs - 3.5 kg
OPT N 220	Break Action with Ejector	12 Ga. 3"(76mm)	26" - 66cm. 28" - 71cm.	45.2" - 115cm.	F, IM, M, IC, SK	2	Aluminium / Steel	Single Selective	Turkish Walnut	6.8 lbs - 3.1 kg
OPT N 236			30" - 76cm.							6.3 lbs - 2.9 kg

SIDE BY SIDE SHOTGUNS

OP B 212

Optimum Arms side by side shotguns are classic and traditional shotguns associated with traditional hunting and shooting sports.

The side by side barrel configuration provides a wide field of view, allowing for quick target acquisition. Side by side shotguns are well known for their balance and maneuverability.

The barrels are typically aligned with the shooter's hand, resulting in a natural feel and good handling characteristics.



BLACK



WHITE ENGRAVED

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Trigger	Stock	Average Weight
OP B 212 B.	Break Action With Extractor	12 Ga. 3"(76mm)	21.5" - 55cm.	38.5" - 98cm.	F, IM, M, IC,SK	2	Steel	Single Selective	Turkish Walnut	7.7 lbs - 3.5 kg
OP B 212 W. E.			26" - 66cm. 28" - 71cm. 30" - 76cm.							

SINGLE BARREL SHOTGUNS

Optimum Arms single barrel shotguns are simple, straightforward and safe.

Simple and safe designed single barrel shotguns allow easy inspection and maintenance.

Single barrel shotguns have fewer moving parts which can make them more reliable and easier to maintain.

Great option if you like the simple operation, the reliable action, the nostalgia factor of hunting with the single barrel shotgun.

This simplicity can be appealing to new beginners or those who prefer a less complex firearm.



WALNUT

OP SB 100



SYNTHETIC

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP SB 100	Break Action with Extractor	12 Ga. 3"(76mm)	20" - 51cm. 22" - 55cm. 24" - 60cm. 26" - 66cm. 28" - 71cm.	42" - 107 cm. (Bar. Length: 28" - 71cm.)	Cylinder	1	Steel	Synthetic Walnut	4.6 lbs - 2.1 kg



OP SBH 100

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP SBH 100	Break Action with Extractor	12 Ga. 3"(76mm)	20" - 51cm. 22" - 55cm. 24" - 60cm. 26" - 66cm. 28" - 71cm.	42" - 107 cm. (Bar. Length: 28" - 71cm.)	Cylinder	1	Aluminium	Turkish Walnut	4.6 lbs - 2.1 kg

SEMI AUTO SHOTGUNS

INERTIA OPERATED SHOTGUNS

Optimum Arms inertia operated shotguns offer perfectly balanced the simplest, fastest, cleanest, strongest, and the most reliable operating system.

Inertia operated shotguns, using the gun's recoil to operate, are designed for shooters who demand consistent performance for high volume shooting combining engineering and superior material composition to provide the reliable operation in the toughest environments.

The great outcome of inertia shotguns is a gun with quick and easy maintenance, and cleaner running even when used in high-volume shooting.

Optimum Arms inertia operated shotguns with 3 main parts as bolt body, inertia spring, and rotating bolt head are light weighted specially designed for strength and ultra-reliable simplicity. The strong steel locking part of the inertia system's rotating bolt head offers the tightest lock up between the bolt and the barrel ensuring a positive steel-to-steel lock-up.

Flawlessly presented rubber recoil pad, fiber optic sight and shim kits, Turkish walnut checkering on OP 300 W, backed by a warranty.

**“Experience the thrill
of flawless hunting
with the best system”**



OP 300



Synthetic



Walnut

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP 300 Walnut	Inertia System - Semi Auto	12 GA. 3" (76 mm)	21.7" - 55 cm	49.2" 125 cm	F, IM, M, IC, SK	3+1 - 5+1	Aluminium	Walnut	6.95 lb. 3.150 kg
OP 300 Synthetic			24" - 61 cm 26" - 66 cm 28" - 71 cm 30" - 76 cm					Synthetic	



OP 400



OP 200



OP 350

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP 200	Inertia System Semi Auto	12 Ga. 3"(76mm)	24" - 61 cm.	49.2" - 125cm. (Bar. Length: 28" - 71cm.)	F, IM, M, IC, SK	2+1 4+1	Aluminium	Turkish Walnut	6,8 lbs - 3,1 kg.
OP 350			26" - 66 cm.						6,8 lbs - 3,1 kg.
OP 400			28" - 71 cm.						6,4 lbs - 2,9 kg.
			30" - 76 cm.						

LEVER ACTION SHOTGUNS

Optimum Arms lever action shotguns are reliable, straightforward and easy to operate.

Lever action shotguns use a lever mechanism to manually cycle and load rounds from a tubular magazine into the chamber.

Lever action shotguns can be cycled quickly, allowing for relatively fast follow-up shots.

Lever action shotguns have rich history and nostalgic appeal for many firearms enthusiasts.



OP L 410



Temper



Nickel

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP L 410 Temper	Lever Action	36 Ga. (410 Cal.)	20" - 51cm. 21.5" - 55cm. 24" - 61cm.	42.5" - 108cm. (Barrel Length: 24" - 61cm.)	Fixed Choke	2+1 5+1 7+1	Steel	Turkish Walnut	6.6 lbs - 3.0 kg (8+1 Mag. Cap.)
OP L 410 Nickel		66mm., 76mm	26" - 66cm. 28" - 71cm.			8+1 9+1			6.1 lbs - 2.8 kg. (5+1 Mag. Cap.)

SEMI AUTO SHOTGUNS

GAS OPERATED SHOTGUNS

Optimum Arms gas operated shotguns offer ultimate reliability matched with the softer shooting features inherent in the gas operated systems with greatly reduced felt recoil to the shooter.

Recoil energy is within the moving parts of the gun as the bolt, piston, sleeve or action bars and then released as they move backwards and come to a temporary stop as the gun cycles.

The shotgun's recoil is divided into 2 or 3 small pushes instead of one larger one and the sensation is way much softer.

Whether it's your first time or you're a professional shooter, you can't go wrong with our gas operated shotguns especially if you're a recoil-sensitive shooter.

Flawlessly presented rubber recoil pad, fiber optic sight and shim kits, backed by a warranty.

**“Ultimate reliability
matched with the softer
shooting features”**

 OPTIMUM ARMS

 OPTIMUM ARMS



OP TAC 200



Military Green

OP TAC 300



“Special patented folding design”



Iron Blue




Bronze

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weighth
OP TAC 200	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	20" - 51 cm	40.5" 103 cm	F, M, CL, TURKEY CHOKE	4+1 - 7+1	Aluminium	Synthetic Fixed	7 lb. 3.2 kg

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weighth
OP TAC 300	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	20" - 51 cm 26" - 66 cm 28" - 71 cm	41.7" 106 cm	Slug Barrel or 3 Mobile Chokes (C/M/IM)	3+1 - 7+1	Aluminium	Synthetic with Pistol Grip	7.2 lb. 3.3 kg

OPT S 410

“Patented design of locking bar and cap”



Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weighth
OPT S 410 Iron Blue	Gas Operated Semi Auto	36 GA. 410 CAL.) - 3"(76 mm)	18.5" - 47 cm	38" - 97 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Telescopic	7.2 lb. 3.28 kg
OPT S 410 Snow Camo									
OPT S 410 Military Green									
OPT S 410 Compact			8.6" - 22 cm	25.5"- 65 cm					4.4 lb. 2 kg



OPT VM G2 12



“Ultra-reliable,
durable, fast,
and special”

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM G2 12	Gas Operated Semi Auto	12 GA. 3" (76 mm)	18.5" - 47 cm	35.8" - 91 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / Telescopic	8.6 lb.
OPT VM G2 12 Compact			20" - 51 cm	(Barrel Length 18.5" - 47 cm.)					3.9 kg
			13" - 33 cm	30" - 77 cm					8 lb. 3.6 kg



Desert Sand



Black



Military Green Compact



Black Compact

OPT VM G2 20



Desert Sand



Black



Military Green



Desert Sand Compact

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weight
OPT VM G2 20	Gas Operated Semi Auto	20 GA. 3" (76 mm)	18.5" - 47 cm	37" - 95 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / Telescopic	7.7 lb. 3.5 kg
OPT VM G2 20 Compact			13" - 33 cm	30" - 77 cm					7.5 lb. 3.4 kg



OPT VM G1 12



OPT VM P12



OPT VM G1 20



OPT VM G1 36

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM G1 12	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	18.5" - 47cm 20" - 51cm	38" - 97cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed / Telescopic	7.2 lb. 3.3 kg
OPT VM G1 20	Gas Operated - Semi Auto	20 GA. 3" (76 mm)	20" - 51cm	37"-95cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed / Telescopic	6.4 lb. 2.9 kg
OPT VM G1 36	Gas Operated - Semi Auto	36 GA. 3" (76 mm)	20" - 51cm	38" - 97cm	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / Telescopic	7 lb. 3.2 kg

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM P12	Pump Action	12 GA. 3" (76 mm)	18.5" - 47cm 20" - 51cm	35,8" - 91 cm (Barrel Length 18" - 47 cm)	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / Telescopic	8 lb. 3.6 kg

PUMP ACTION SHOTGUNS

PUMP ACTION SHOTGUNS

Optimum Arms pump action shotguns are perfect fit for instant success as short cycling time lets you identify and point to a new target quickly and efficiently with reliable performance as well as being easy to use.

The stock and forearm are constructed from a durable fiber reinforced polymer with textured grip areas and a soft rubber recoil pad to keep you comfortable during long hunting sessions. Experience centered balance and overall simplicity with higher durability at a lower cost.

Ultra-reliable, durable, fast, and special patented folding design that allows for easy storage, transport, and deployment. Simply pull back the rear sight to fold it up!

Flawlessly presented rubber recoil pad, fiber optic sight and shim kits, backed by a warranty.



**“Shoot with confidence!
Ultra reliable, durable,
and softer”**



OP TAC 100

“Special patented folding design”

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP TAC 100	Pump Action	12 GA. 3" (76 mm)	18.5" - 47 cm	39" - 99 cm	F, M, CL, TURKEY CHOKE	4+1 - 7+1	Aluminium	Fixed Synthetic	6.4 lb. 2.9 kg



OP 110



OP 120

Code	System	Gauge & Chamber	Barrel Length	Overall Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OPT 110	Pump Action	12 GA. 3" (76 mm)	14" - 36cm.	48" - 122cm. (Bar. Length: 28" - 71cm.)	F, IM, M, IC, SK	5+1 7+1 9+1	Aluminium	Synthetic	7.3lbs - 3.35kg.
OPT 120			18.5" - 47cm. 20" - 51cm. 24" - 61cm. 28" - 71cm.						

**SPARE
PART**



 **OPTIMUM ARMS**

OPT S 410 UPPER SET

 **OPTIMUM ARMS**



Code	System	Gauge & Chamber	Barrel Length	Choke	Average Weight
OPT S 410 UPPER SET	Gas Operated - Semi Auto	36 GA. (410 CAL.) - 3"(76 mm)	18.5" - 47cm	Slug Cylinder	4.6 lbs 2.09 kg



THE WISE CHOICE



optimumarms.com.tr



[/optimumarmstr](https://www.facebook.com/optimumarmstr)



[@optimumarms](https://www.instagram.com/optimumarms)



[/optimumarms](https://www.linkedin.com/company/optimumarms)