1 all into

1 an 200

CATALOG

0

& OPTIMUM ARMS



THE WISE CHOICE

Optimum Arms: Redefining Excellence in Firearms

Optimum Arms is dedicated to providing high-quality, reliable, and affordable wide range of shotguns that cater to the needs of enthusiasts and professionals worldwide.

With a comprehensive range of shotguns, spare parts, and AR-15 platforms, our products are crafted to deliver superior performance and unmatched value.

Among our standout innovations are patented double and triple folding shotguns, designed with advanced engineering to offer compact versatility, bold aesthetics, and ease of use-ideal for those looking to refresh and expand their offerings with modern innovative solutions.

Manufactured in Turkey, our firearms combine cutting-edge technology with affordability, ensuring an optimal balance of price and exceptional performance.

We also offer OEM manufacturing and custom solutions, tailored to meet the market-specific demands, providing distinct competitive advantage.

At Optimum Arms, we are committed to empowering our business partners with products that set new standards in quality and innovation, ensuring their continued success in an ever-evolving industry.

Product Categories

Action

Lever

ag

actical

Under

ð

Over

Side

BS

Side

Single Barr

Semi Aut Shotgun

σ Δ Spare

ctiol Pump

\mathcal{V} **C** UŊ) LL

Optimum Arms Over & Under Shotguns combine timeless design with unmatched reliability, featuring durable solid frames, easy maintenance, and premium Turkish walnut craftsmanship making them perfect for long-lasting performance in any condition.

OPTIMUM ARMS

"Timeless classic"

Code



			and the second sec			Contract of the State			
OPT N 212		Start Carl	21.5" - 55cm.	A CONTRACTOR					7.7 lbs - 3.5 kg
OPT N 220	Break Action	12 Ga. 3"(76mm)	26" - 66cm. 28" - 71cm.	F, IM, M,	2	Steel	Single Selective	Turkish Walnut	6.8 lbs – 3.1 kg
OPT N 236	C.G. M. C. M.		30" - 76cm.	IC, SK		4 Cathler	Sciective		6.3 lbs - 2.9 kg

\bigcirc ш (\mathcal{M}) SID

Optimum Arms Side-by-Side Shotguns embody timeless elegance and superior craftsmanship, renowned for their classic design and exceptional balance.

With a wide barrel configuration that offers an excellent field of view, they deliver seamless handling and quick target acquisition, making them the preferred choice for discerning hunters and shooting enthusiasts.

OPTIMUM ARMS

0 0 0



OP SS 12



OP B 212





WHITE ENGRAVED

44	Porto-	$\langle \rangle \rangle$	and the second		STORE OF		and the second	ě	
Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Trigger	Stock	Average Weigth
DP B 212 B. DP B 212 W. E. DP SS 12	Break Action	12 Ga. 3"(76mm)	18" - 47cm. 21.5" - 55cm. 26" - 66cm. 28" - 71cm. 30" - 76cm.	F, IM, M, IC,SK	2	Steel	Single Selective Double	Turkish Walnut	7.7 lbs - 3.5 kg 7.1 lbs - 3.2 kg

Optimum Arms Single Barrel Shotguns are the benchmark of simplicity and reliability.

With fewer moving parts and an easy-to-maintain design, they provide a straightforward, safe shooting experience, making them the perfect choice those who value efficient, simple, reliable operation.



OP SB 100

SYNTHETIC

WALNUT

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP SB 100	Break Action	12 Ga. 3"(76mm)	20" - 51cm. 22" - 55cm.	Cylinder	-	Steel	Synthetic	4.6 lbs - 2.1 kg
	with Extractor		24" - 60cm.	cymaci		Steel	Walnut	4.0105 -2.1 kg





OP SBH 100

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP SBH 100	Break Action with Extractor	12 Ga. 3"(76mm)	20" - 51cm. 22" - 55cm. 24" - 60cm. 26" - 66cm. 28" - 71cm.	Cylinder	1	Steel	Turkish Walnut	4.6 lbs - 2.1 kg

INERTIA OPERATED SHOTGUNS

Optimum Arms Inertia-Operated Shotguns offer unmatched reliability, combining a simple, fast, and clean operating system with lightweight design and ultra-reliable performance, even in high-volume shooting conditions.

Featuring superior materials and a robust steel locking mechanism, they ensure consistent, effortless operation and easy maintenance, making them ideal for demanding shooters.

OPTIMUM ARMS

"Experience the thrill of flawless hunting with the best system"

OF



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
P 300 Walnut	Inertia	12 GA.	21.7" - 55 cm 24" - 61 cm		7.1 5.1		Walnut	_ 6.95 lb.
300 Synthetic	System - Semi Auto	3" (76 mm)	26" - 66 cm 28" - 71 cm 30" - 76 cm	F, IM, M, IC, SK	3+1 - 5+1	Aluminium [–]	Synthetic	3.150 kg

							Ортім	um Arms
			X			OP	40	
		2						
		OP	200				OP 350	
		Gauge &	Barrel	Choke	Magazine Capacity	Receiver	Stock	Average
Code	System	Chamber	Length					Weigth
Code OP 200		Chamber	24" - 61 cm.			NT K		Weigth 6,4 lbs – 2.9 kg.
- 1X	System Inertia System Semi Auto	Chamber 12 Ga. 3"(76mm)		F, IM, M, IC, SK	2+1 4+1	Aluminium	Turkish Walnut	

 \mathbb{N} ĹЦ

Optimum Arms Lever Action Shotguns combine reliability and simplicity, offering quick cycling and smooth operation.

With a lever mechanism to manually load rounds from a tubular magazine, they allow for fast follow-up shots while providing a rich history and nostalgic appeal for firearms enthusiasts.

OPTIMUM ARMS



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP L 410 Temper	Lever Action	36 Ga. (410 Cal.)	20" - 51cm. 21.5" - 55cm. 24" - 61cm.	Fixed	2+1 5+1 7+1	Charl		6.6 lbs - 3.0 kg (8+1 Mag. Cap.)
OP L 410 Nickel	Level Action	66mm., 76mm	26" - 66cm. 28" - 71cm.	Choke	8+1 9+1	Steel	Turkish Walnut	6.1 lbs - 2.8 kg. (5+1 Mag. Cap.)





Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
LR 12 LR 12 TAC	Lever Action	12 Ga., 76mm	8" - 20 cm 13" - 33 cm 18" - 47 cm 20" - 51 cm	F, IM, M, IC, SK	2+1 - 4+1 5+1 - 6+1	Aluminium	Turkish Walnut	6.6 lbs - 3 kg. 6.4 lbs - 2.9 kg.
LR 12 TAC AL			21.5" - 55 cm 24" - 61 cm 26" - 66 cm 28" - 71 cm		7+1 - 10+1			6.8 lbs - 3.1 kg.

GAS OPERATED SHOTGUNS

Optimum Arms Gas-Operated Shotguns deliver unmatched reliability with a softer shooting experience, featuring reduced felt recoil for enhanced comfort.

By utilizing a system that divides recoil into smaller, manageable pushes, these shotguns provide a smooth, controlled cycle, making them an ideal choice for recoil-sensitive shooters.

OPTIMUM ARMS



"Ultimate reliability matched with the softer shooting features"

SOFTIANUM ARMS

OP TAC 200



"Folding Semi-Auto Shotgun With Pistol Grip Short Barrel"

OP TAC 200 - I





mmmmm



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP TAC 200 OP TAC 200 PRO OP TAC 200 - 1 OP TAC 200 SPG	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	20" - 51cm. 24" - 61cm. 28" - 71cm. 14" - 36cm.	F, M, CL, TURKEY CHOKE	4+1 - 7+1	Aluminium	Synthetic Fixed	7 lb. 3.2 kg



Military Green







Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP TAC 300	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	20" - 51 cm 26" - 66 cm 28" - 71 cm	Slug Barrel or 3 Mobile Chokes (C/M/IM)	3+1 - 7+1	Aluminium	Synthetic with Pistol Grip	7.2 lb. 3.3 kg

- ----

OPT S 410

Optimum Arms tactical magazine-fed shotguns offer superior functionality and performance, featuring increased capacity, faster reloading, and exceptional reliability.

With enhanced ergonomics and ease of operation, they are a powerful and trusted choice for home defense. OPT

OPT S



Code	System	Cauge & Chamber	Length	Choke	Capacity	Receiver	Stock	Weigth
OPT S 410 Iron Blue								
PPT S 410 Snow Camo	Gas Operated	36 GA. 410 CAL.)	18.5" - 47 cm	Slug	5+1 - 10+1	Aluminium	Telescopic	7.2 lb. 3.28 kg
PT S 410 Military Green	Semi Auto	- 3"(76 mm)	18.00	Cylinder	5+1-10+1	Aluminium	relescopic	
OPT S 410 Compact			8.6" - 22 cm					4.4 lb. 2 kg



OPTVM G2 12

"Ultra-reliable, durable, fast, and special"

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM G2 12	Gas	12 GA.	18.5" - 47 cm 12 GA. 20" - 51 cm Slug 5.1, 10.1 Aluminium	Aluminium	Synthetic Fixed /	8.6 lb. 3.9 kg		
OPT VM G2 12 Compact	Operated Semi Auto	3" (76 mm)	13" - 33 cm	Cylinder	5+1 - 10+1	Alaminiam	Telescopic	8 lb. 3.6 kg





Desert Sand



Black



Military Green Compact



Black Compact

OPT VM G2 20

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM G2 20	Gas Operated Semi Auto	20 GA.	18.5" - 47 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / _ Telescopic	7.7 lb. 3.5 kg
OPT VM G2 20 Compact		3" (76 mm)	13" - 33 cm					7.5 lb. 3.4 kg



Desert Sand



Black





Desert Sand Compact

Internet and the state

OPT VM GI 12



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM GI 12	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	18.5" - 47cm 20" - 51cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed / Telescopic	7.2 lb. 3.3 kg
OPT VM GI 20	Gas Operated - Semi Auto	20 GA. 3" (76 mm)	20" - 51cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed / Telescopic	6.4 lb. 2.9 kg

OPT



OPT MF S12



BLACK



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
PT MF S12	Gas Operated Semi Auto	12 GA. 3" (76 mm)	18.5" - 47cm 20" - 51cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed	7,7 lbs. 3,5 kg.

PUMP ACTION SHOTGUNS

Optimum Arms Pump Action Shotguns offer ultra-reliable performance with a fast cycling time and easy operation.

Featuring a textured grip, soft rubber recoil pad, and centered balance, they provide comfort during long sessions.

With a patented folding design, OP TAC 100 model offer easy storage, transport, and quick deployment, all while delivering high durability at an affordable cost.

"Special patented folding design"

OPTIMUM ARMS

OPTIMUM ARMS

OP TAC 100

"Tactical Triple Folding Pump Action Shotgun, Side Folding Stock and Ergonomic Forearm"



OP TAC 100 - I



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP TAC 100		12 GA.	14" - 36 cm 18.5" - 47 cm	F, M, CL,			Fixed	6.4 lb 2.9 kg
OP TAC 100 - I	Pump Action	Pump Action 3" (76 mm)		TURKEY	4+1 - 5+1 - 7+1	Aluminium	Synthetic	6.4 lbs - 2.5 kg
OP TAC 100 - II				CHOKE				6.6 lbs - 3 kg



OP 110

OP 120

UIII


Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OPT 110	Pump	12 GA.	14" - 36cm. 18.5" - 47cm.	F, IM, M,	5+1			
OPT 120	Action	3" (76 mm)	20" - 51cm. 24" - 61cm. 28" - 71cm.	IC, SK	7+1 9+1	Aluminium	Synthetic	7.3 lbs - 3.35kg.

1





OPT S 410 UPPER SET



Code	System	Gauge & Chamber	Barrel Length	Choke	Average Weigth
T S 410 UPPER SET	Gas Operated - Semi Auto	36 GA. (410 CAL.) - 3"(76 mm)	18.5" - 47cm	Slug Cylinder	4.6 lbs 2.09 kg






THE WISE CHOICE



optimumarms.com.tr





in /optimumarms